

5. oddly enough, the Cultivated Code states that publication is NOT valid if it is against the expressed wish of the originator of the plant, or if the cultivar does not really exist.

The Cultivated Code recommends the following guidelines for the guidance of registration authorities [realize that cultivar names and collective names may be *published* in any suitable publication; **registration** is a separate process]:

New names submitted for registration should be accompanied by the following particulars:

1. name and address of the originator or introducer
2. name of the describer or namer, if the cultivar has been previously described, together with full reference to the date and place of publication. [A cultivar may have been named and described in the past, and just now be registered by someone else.]
3. the parentage, when known
4. details of observations or tests for distinctness, including date and place of testing.
5. a description, if not previously provided.

James T. Robinson (Box 1625, Connecticut College Arboretum, New London, CT 06320) is official registrar for CPN and information should be sent to him.

¹ A copy of the Cultivated Code is available from The American Horticultural Society, Mt. Vernon, Virginia 22121, USA. Inquire as to price.

NEW CULTIVARS OF *SARRACENIA*

Larry Mellichamp

Biology Department

University of North Carolina at Charlotte

Charlotte, North Carolina 28223

and

Rob Gardner

North Carolina Botanical Garden

University of North Carolina at Chapel Hill

Chapel Hill, N.C. 27514

We are presenting here a five cultivars of species and hybrids from various sources (as indicated) that we have been observing and evaluating seriously for at least two full years. One should not select cultivars haphazardly; they must prove themselves to be outstanding plants and the evaluator must consider the criteria carefully. Our evaluation criteria consisted of a consideration of:

Plant habit: good growth form with the leaves stiffly erect, not affected by wind or rain;

Plant size: was it compact; could it be grown under lights or in a small terrarium.

Leaf coloration: was there distinctive venation, good colors, interesting contrasts, a fall color change, etc.

Winter form: did the leaves retain color and substance better than average under cold but non-freezing winter dormancy.

Propagation: was the plant a vigorous grower, easy to divide.

Leaf production: was it constant, or seasonal.

Flowers: were they attractive, were they fragrant.

(Cont'd.)

These were the main criteria; of course, not every specimen rated highest in all categories, but they had to be above average in some important characteristics.

The new selections that we are describing and registering here are, to our knowledge, the first *Sarracenia* cultivars designated in the United States. Our aim is to have them propagated commercially and make them available inexpensively to collectors in the near future. Please do not inquire about them now unless you are willing to pay a great deal of money for a division!

Photographs and herbarium specimens of these cultivars have been deposited in the herbarium of the University of North Carolina at Charlotte (UNCC). All cultivars have been grown and tested at one or (in almost all cases) both authors' institutions. These particular hybrids are known to occur in the wild, and have already been named (See Bell 1952, Pietropaolo 1986, and Schnell 1976 for more information on the hybrid names). Photographs of each cultivar are presented here also, though the colors may not necessarily have reproduced true to life. (Photographs on opposite page and cover).

1. *Sarracenia* x *catesbaei* 'Sun Warrior'

A selection of the well-known hybrid between *S. flava* and *S. purpurea*. It originated as a seedling from open-pollinated parents (presumably of wild North Carolina specimens) at the North Carolina Botanical Garden (NCBG) before 1983. The plant has made several leads and has retained its compact size while producing new leaves 6-7" high throughout the season. They do not last well into the winter, however. The pitchers have richly colored red tubes and the hood is distinctly red-veined. The throat is especially dark red. The flowers have not been seen.

2. *Sarracenia* x *catesbaei* 'Carolina Cooler'

A selection originating from the same batch of open-pollinated seeds as 'Sun Warrior.' It is growing well, maintaining its small habit, and producing 5-6" leaves throughout the season. They, too, do not last well into winter. The pitcher color is much less suffused with red. The tube, and especially the hood, have varying tones of green and yellow-green underlying the distinctive red veins, giving a refreshing appearance.

3. *Sarracenia minor* 'Dark Ladies'

This plant was selected from among seedlings grown at the North Carolina Botanical Garden from wild-collected seed. The seeds came from Brunswick County, North Carolina. The pitchers are 6-8" high and are typical in shape for the species, though they are a bit more slender. The areolae are very distinctive. The most unusual aspect is the very dark red coloration of the hood, inside and outside. New pitchers are formed throughout the growing season, but they do not hold up well into the winter.

4. *Sarracenia* x *swaniana* 'Friar Tuck'

This delightful little cultivar originated as a seedling from a batch of wild-collected seed (Brunswick Co., N.C.) taken from a plant identified as straight *S. minor*. Obviously cross-pollination had occurred with *S. purpurea*. The seedlings were grown at the NCBG. The leaves are about 5" high, richly colored red outside above, with dark veins on the unusually smooth-margined hoods (such hybrids have hoods that are distinctly more wavy, after the *S. purpurea* parent). The hoods are also a little flatter in side view than usual, with an upturned tip. There are subtle shades of color in the hoods, making this cultivar attractive and distinctive. The leaves look good all season, and do not turn brown completely in winter.

5. *Sarracenia* x *exornata* 'Moore's Melody'

This large, robust plant was collected in the wild in southeastern Mississippi in 1985 by Mr. J.C. Moore, Sr. of Mobile, Alabama and sent to Larry Mellichamp at UNCC. We have named the cultivar after the musically talented collector who has been very instrumental in discovering unusual pitcher plants in the Mobile area. The plant appears to be a hybrid between *S. alata* and *S. purpurea venosa* (undoubtedly the "Louis Burk" pink-flowered



Top Left: *Sarracenia x catesbaei* cv. 'Sun Warrior.'



Top Right: *Sarracenia x catesbaei* cv. 'Carolina Cooler'



Sarracenia minor cv. 'Dark Ladies'



Sarracenia x swainsonii cv. 'Friar Tuck'

Photos by TL Mellichamp

Citation of cultivar names: TL Mellichamp
Rob Gardner

(form), both of which grow in the vicinity but do not hybridize commonly. Stout, firm-textured pitchers about 6-9" high are produced throughout the growing season. They taper gradually from bottom to top to produce a broad cone with very wide slightly wavy-margined erect hoods. As the pitchers grow and mature they show various colors. The colors are intricate and subtle, yet rich and interesting with predominately maroons and oranges as a background for dark red veins. There are no aereolae (or light windows) evident as there would be if *S. leucophylla* were involved in the hybrid. The flower is also very large and attractive, somewhat orange-pink in color. We have already used this cultivar in cross-pollination with other attractive specimens.

The most important feature of this hybrid is the fact that the pitchers remain fully intact and colorful throughout the winter in an unheated greenhouse where temperatures occasionally go just below freezing. Since most *Sarracenia*s die down in winter, we believe this is an exciting characteristic to use in breeding plants that look good year around. So far the plant appears vigorous, and it looks like it is going to become even larger.

References cited:

- Bell, C.R. 1952. Natural Hybrids of the genus *Sarracenia*. Journal of the Mitchell Society 68:55-80. [A classic]
- Pietro Paolo, James and Patricia. 1986. Carnivorous Plants of the World. Timber Press, Portland, Oregon. 206 pages. [brand new attractive book]
- Schnell, D.E. 1976. Carnivorous Plants of the United States and Canada. Blair, Winston-Salem, N.C. 125 pages. [best manual on native CP]

Note: The US Fish and Wildlife (USFW) -Office of Scientific Authority is *considering* listing all *Sarracenia* species on Appendix II of CITES.

SARRACENIA UNDER ARC LAMPS

by John De Franco, 220 Lynnwood Lane, Brookfield, WI 53005

Living in Wisconsin, where outdoor culture of most CP is impossible, I've encountered difficulties growing the taller species of *Sarracenia* indoors under artificial light. However, it is possible to achieve excellent results when adequate light and humidity are confined to a properly sized growing area.

I felt confident when I received one *S. leucophylla*, one *S. leucophylla* x *S. oreophila*, two *S. flavas*, one *S. purpurea* x *S. minor*, and one *S. alata*. Knowing they required plenty of humidity, I purchased three, twenty-gallon, long aquariums (12" x 12" x 30"). One of the tanks I used in the traditional manor (lying flat with a glass cover). The other two I modified by standing them on end and hinging the glass to make a door. On the bottom from the inside, I siliconed in a twelve by eight inch piece of plexiglass to form a waterproof box at the base of the tanks for the growing medium. These tanks proved vital to me in providing the proper humidity levels so necessary for the plants we enjoy.

To provide light, I constructed three somewhat pyramid-shaped hoods to house the fixtures. For the conventional tank I installed three, two-foot, twenty-watt fluorescent bulbs. The modified tanks were supplied with three, eight-inch, twenty-two watt circular fluorescent bulbs. On all the hoods small electric fans were installed to dissipate heat produced by the lights and ballasts.



CARNIVOROUS PLANT NEWSLETTER

Official Journal of the
International Carnivorous
Plant Society



Volume 16, Number 2
June 1987

ON THE COVER: *Sarracenia x exornata* cv. 'Moore's Melody', a new cultivar of *Sarracenia*. Article, on page 39, by TL Mellichamp and Rob Gardner. Photo by TL Mellichamp.

The co-editors of CPN would like everyone to pay particular attention to the following policies regarding your dues to the ICPS.

All correspondence regarding dues, address changes and missing issues should be sent to ICPS c/o Fullerton Arboretum, CSUF, Fullerton, CA 92634. DO NOT SEND TO THE CO-EDITORS. Checks for subscriptions and reprints should be made payable to ICPS. (See "Notice" on page 57.)

All material for publication, comments and general correspondence about your plants, field trips or special noteworthy events relating to CP should be directed to one of the co-editors. We are interested in all news related to carnivorous plants and rely on the membership to supply us with this information so that we can share it with others.

Views expressed in this publication are those of the authors, not necessarily the editorial staff.

Copy deadline for the December 1987 issue is October 1, 1987.

CO-EDITORS:

D.E. Schnell, Rt. 1, Box 145C, Pulaski, VA 24301

J.A. Mazrimas, 329 Helen Way, Livermore, CA 94550

T.L. Mellichamp, Dept. of Biology, UNCC, Charlotte, NC 28223

Leo Song, Dept. of Biology, California State University, Fullerton, CA 92634

Seed Bank: Patrick Dwyer, St. Michael's Episcopal Church, 49 Killeen Park, Albany, N.Y. 12205, USA.

BUSINESS MANAGER: (See "Notice" on page 57.)

PUBLISHER: The International Carnivorous Plant Society by the Fullerton Arboretum, California State University, Fullerton, CA 92634. Published quarterly with one volume annually. Printer: Kandid Litho, 129 Agostino Rd., San Gabriel, CA 91776. Circulation: 658 (115 new, 543 renewal). Dues: \$10.00 annually. \$15.00 foreign. Reprints available by volume only ©1987 Carnivorous Plant Newsletter. All rights reserved.

CARNIVOROUS PLANT NEWSLETTER

VOLUME 16, Number 2

JUNE 1987

